





Local Benefits

- Elimination of Railroad Crossings
 - Safety
 - Reduced Traffic Delays
 - Reduced Noise and Pollution
- Improved Metrolink and Amtrak Operations
- Promotes Smart Growth
- Local Connections
- Less Pollution

- Reduce Highway Traffic
- Decrease Fuel Use
 - Energy Independence
 - Cleaner Air
- Improvements to Existing Rail Lines
 - Commuter Rail
 - Freight
- Safety
- Sustainable Cities
- Economic Opportunity
- Local Jobs










Palmdale - L.A. Regional Environmental/Engineering Work Preliminary Project Level EIR/EIS Schedule

PROJECT-LEVEL EIR/EIS	2007					20	800	2009				
TASKS	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Notice of Preparation / Notice of Intent (NOP/NOI)												
Scoping (Public and Agency)												
Engineering and Environmental Studies												
Draft Environmental Impact Report / Statement (EIR/EIS)												
Public Circulation / Comment												
Final EIR/EIS												
Notice of Determination / Record of Decision (NOD/ROD)												











Los Angeles to Orange Regional Environmental/Engineering Work Preliminary Project Level EIR/EIS Schedule

PROJECT-LEVEL EIR/EIS	2007			2008				2009				
TASKS	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Notice of Preparation / Notice of Intent (NOP/NOI)												
Scoping (Public and Agency)												
Engineering and Environmental Studies												
Draft Environmental Impact Report / Statement (EIR/EIS)												
Public Circulation / Comment												
Final EIR/EIS												
Notice of Determination / Record of Decision (NOD/ROD)												





Conceptual Station Design







Existing Typical Railroad Crossing




Conceptual Grade Separated Railroad Crossing







Typical Structures along Alignment




Aerial

Typical Structures

Hillside Cut with Retaining Wall




- Much of alignment will run on new tracks and need special structures to fit into built environment
- Structures could include:
 - Aerial Structures (bridges)
 - Tunnels
 - Trenches
 - Hillside Cuts



Trench with Retaining Walls

Typical Structures

Tunnel







What are High-Speed Trains?

- Intercity passenger trains have maximum speeds of at least 200 mph
- Tracks separated from roads and highways
- Proven technology Safe and Reliable
 - Successfully operating
 - throughout Europe and Asia



CHSRA Train Concept

Other High-Speed Trains around the World



Shinkansen, Japan





Additional Efforts

- New Ridership Estimates (2007)
- Fare and Revenue Estimates
- Financial Plan
- Right-of-Way Preservation
- Phasing Plan
- Organization of Construction and Operation Contracts





Project Process 2003 2005 2007 2009 Program-Level EIR/EIS Project-Level EIR/EIS (at statewide level) (at corridor level) Formally Adopt Study: •Detailed Final Formally Study: Articulate Prepare Prepare EIR/EIS Adopt •Train **Project** Corridor Level Develop Draft Draft Technologies Design With Final Goals at •Corridor **Project** (modes) Program-Project-Selected the Statewide Environmental **Project** Goals Level Level Corridors Impacts **Project** Corridors Level Environmental Alternatives EIR/EIS **EIR/EIS** Level **Impacts** where EIR/EIS And applicable Train Modes Initial **Public Public Public** Public Scoping Comment Comment Input Meetings

